Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
ij1	822	(vehicle near3 (height or attitude or altitude)) same (light or lighting or headlight or (head adj light) or headlamp or (head adj lamp))	US-PGPUB; USPAT	OR	ON	2005/09/29 14:58
L2	26	1 and (load near4 (state or detect\$5))	US-PGPUB; USPAT	OR	ON	2005/09/29 14:52
L3	3	("5962980").URPN.	USPAT	OR	ON	2005/09/29 14:54
L4	3	("3850041"   "4781465"   "4985847").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 14:55
L5	7	("5907196"   "6183118"   "6193398"   "6229263"   "6302553"   "6305823"   "6332698").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 14:55
L6	7	("4868720"   "5877680"   "6010237"   "6176590"   "6183118"   "6193398"   "6234654").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 14:56
L7	7	("4868720"   "5877680"   "6010237"   "6176590"   "6183118"   "6193398"   "6234654").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 14:56
L8	7	("5907196"   "6183118"   "6193398"   "6229263"   "6302553"   "6305823"   "6332698").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 14:57
L9	41	(vehicle near3 (height or attitude or altitude)) and ((reference near3 value) same (light or lighting or headlight or (head adj light) or headlamp or (head adj lamp)))	US-PGPUB; USPAT	OR	ON	2005/09/29 14:58
L10	181	(height near3 (sens\$5 or determin\$5 or calculat\$3)) same (vehicle near3 load)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:01
L11	23	1 and 10	US-PGPUB; USPAT	OR	ON	2005/09/29 15:01
L12	12	("6193398").URPN.	USPAT	OR ·	ON	2005/09/29 15:07
L13	6	("4973155"   "5195816"   "5877680"   "6010237"   "6049749"   "6109759").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 15:07
L14	6	("5195816").URPN.	USPAT	OR	ON	2005/09/29 15:09
L15	124	(headlight or (head adj light)) same (direction near3 (change or changing or changed))	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11

L16	11	L15 and (height near3 (sense or sensed or sensor or determin\$5 or calculat\$3))	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L17	3	("6130506"   "6176590"   "6343869").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 15:11
L18	0	("6547425").URPN.	USPAT	OR	ON	2005/09/29 15:11
L19	4	("5331251"   "5896011"   "6193398"   "6234654").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 15:11
L20	1	("6389344").URPN.	USPAT	OR	ON	2005/09/29 15:11
L21	168	(height near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) same (vehicle near3 load)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L22	2	L21 and L15	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L23	7	(height near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) same (difference near3 load)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L24	82	(headlight or (head adj light)) same (direction near3 (change or changing or changed))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:11
L25	40	(headlight or (head adj light)) same (vehicle near3 height)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:11
L26	74	(headlight or (head adj light)) same (vehicle near3 height)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L27	17	(height near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) same (load near3 reference)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L28	4	("5251114"   "5877680"   "5907196"   "6357898").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 15:11
L29	2	("5877680"   "5907196").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 15:11
L30	3	("6357898").URPN.	USPAT	OR	ON	2005/09/29 15:11
L31	17	("5907196").URPN.	USPAT	OR	ON	2005/09/29 15:11
L32	7	("5907196"   "6183118"   "6193398"   "6229263"   "6302553"   "6305823"   "6332698").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 15:11
L33	19	("5877680");URPN.	USPAT	OR	ON	2005/09/29 15:11

124	700	(vohicle near? height) ====4	HC DCDHD.	OR	ON	2005/09/29 15:11
L34	780	(vehicle near3 height) near4 sensor	US-PGPUB; USPAT	UK	UN	
L35	60	L34 and headlight	US-PGPUB; USPAT	OR	ON.	2005/09/29 15:11
L36	1	((vehicle near3 height) near4 sensor) same (reference near3 load)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L37	60	((vehicle:near3 height) near4 sensor) same (reference near3 height)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L38	364	(701/ <del>4</del> 9).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:11
L39	778	(315/82).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:11
L40	700	(362/459,460,463,465,466,469). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/29 15:11
L41	1776	L38 L39 L40	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L42	168	(height near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) same (vehicle near3 load)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L43	10	L42 and L41	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L44	100	(height near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) and L41	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L45	780	(vehicle near3 height) near4 sensor	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L46	69	L45 and L41	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L47	412	(vehicle near3 height) same (fuel or gas)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L48	118	(height near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) and L47	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L49	10	((vehicle adj2 height) near3 (sense or sensed or sensor or determin\$5 or calculat\$3)) same (fuel or gas)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:11
L50	2348	(vehicle near3 load) same (sensor)	US-PGPUB; USPAT	OR	ON	2005/09/29 16:00
L51	209	(vehicle near3 load) same (passenger and sensor)	US-PGPUB; USPAT	OR	ON	2005/09/29 15:56
L52	69	51 and (vehicle near3 (attitude or inclination or posture or level))	US-PGPUB; USPAT	OR	ON	2005/09/29 15:56

L53	62	(vehicle near3 load) same (graph	US-PGPUB;	OR	ON	2005/09/29 16:00
		and sensor)	USPAT			